






PRODUCT LIST




PROFILE OUTLINE	PRODUCT																													
	<div style="background-color: #4a7ebb; color: white; padding: 5px;">US-100</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 17", 13"</td> <td style="width: 50%;">SEAM HEIGHT 1"</td> </tr> <tr> <td>APPROPRIATE SLOPE $\geq 1:12$</td> <td>SEAM TYPE Mechanical, Single or Double Lock</td> </tr> <tr> <th>UL90 ASSEMBLY</th> <th>THICKNESS</th> <th>UL90 CLIP SPACING</th> <th>UL90 PANEL WIDTH</th> <th>UL90 ASSEMBLY</th> </tr> <tr> <td>Steel (Not UL Classified)</td> <td>24 Gauge</td> <td>48"</td> <td>16"</td> <td>None</td> </tr> <tr> <td>Aluminum (Not UL Classified)</td> <td>0.032"</td> <td>36"</td> <td>20"</td> <td>None</td> </tr> <tr> <td>Copper</td> <td>16 ounce</td> <td>36"</td> <td>16"</td> <td>575</td> </tr> <tr> <td>Zinc (Not UL Classified)</td> <td>0.7mm, 0.8mm</td> <td>24"</td> <td>15.7"</td> <td>None</td> </tr> </table>	TYPICAL PANEL WIDTHS 17", 13"	SEAM HEIGHT 1"	APPROPRIATE SLOPE $\geq 1:12$	SEAM TYPE Mechanical, Single or Double Lock	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY	Steel (Not UL Classified)	24 Gauge	48"	16"	None	Aluminum (Not UL Classified)	0.032"	36"	20"	None	Copper	16 ounce	36"	16"	575	Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	15.7"	None
	TYPICAL PANEL WIDTHS 17", 13"	SEAM HEIGHT 1"																												
	APPROPRIATE SLOPE $\geq 1:12$	SEAM TYPE Mechanical, Single or Double Lock																												
	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY																									
	Steel (Not UL Classified)	24 Gauge	48"	16"	None																									
Aluminum (Not UL Classified)	0.032"	36"	20"	None																										
Copper	16 ounce	36"	16"	575																										
Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	15.7"	None																										
	<div style="background-color: #c49a3d; color: white; padding: 5px;">US-150</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 16", 12"</td> <td style="width: 50%;">SEAM HEIGHT 1.5"</td> </tr> <tr> <td>APPROPRIATE SLOPE $\geq 2:12$</td> <td>SEAM TYPE Mechanical, Single or Double Lock</td> </tr> <tr> <th>UL90 ASSEMBLY</th> <th>THICKNESS</th> <th>UL90 CLIP SPACING</th> <th>UL90 PANEL WIDTH</th> <th>UL90 ASSEMBLY</th> </tr> <tr> <td>Steel</td> <td>24 Gauge</td> <td>48"</td> <td>16"</td> <td>554</td> </tr> <tr> <td>Aluminum</td> <td>0.032"</td> <td>36"</td> <td>20"</td> <td>603</td> </tr> <tr> <td>Copper</td> <td>16 ounce</td> <td>36"</td> <td>16"</td> <td>605</td> </tr> <tr> <td>Zinc (Not UL Classified)</td> <td>0.7mm, 0.8mm</td> <td>24"</td> <td>15.7"</td> <td>None</td> </tr> </table>	TYPICAL PANEL WIDTHS 16", 12"	SEAM HEIGHT 1.5"	APPROPRIATE SLOPE $\geq 2:12$	SEAM TYPE Mechanical, Single or Double Lock	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY	Steel	24 Gauge	48"	16"	554	Aluminum	0.032"	36"	20"	603	Copper	16 ounce	36"	16"	605	Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	15.7"	None
	TYPICAL PANEL WIDTHS 16", 12"	SEAM HEIGHT 1.5"																												
	APPROPRIATE SLOPE $\geq 2:12$	SEAM TYPE Mechanical, Single or Double Lock																												
	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY																									
	Steel	24 Gauge	48"	16"	554																									
Aluminum	0.032"	36"	20"	603																										
Copper	16 ounce	36"	16"	605																										
Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	15.7"	None																										
	<div style="background-color: #4db6ac; color: white; padding: 5px;">US-200</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 18", 14"</td> <td style="width: 50%;">SEAM HEIGHT 2"</td> </tr> <tr> <td>APPROPRIATE SLOPE $\geq 1/4:12$</td> <td>SEAM TYPE Mechanical, Single or Double Lock</td> </tr> <tr> <th>UL90 ASSEMBLY</th> <th>THICKNESS</th> <th>UL90 CLIP SPACING</th> <th>UL90 PANEL WIDTH</th> <th>UL90 ASSEMBLY</th> </tr> <tr> <td>Steel (Not UL Classified)</td> <td>24 Gauge</td> <td>60"</td> <td>12"</td> <td>373</td> </tr> <tr> <td>Aluminum (Not UL Classified)</td> <td>0.032"</td> <td>36"</td> <td>18"</td> <td>None</td> </tr> <tr> <td>Copper (Not UL Classified)</td> <td>16 ounce</td> <td>36"</td> <td>14"</td> <td>None</td> </tr> <tr> <td>Zinc (Not UL Classified)</td> <td>0.7mm, 0.8mm</td> <td>24"</td> <td>13.7"</td> <td>None</td> </tr> </table>	TYPICAL PANEL WIDTHS 18", 14"	SEAM HEIGHT 2"	APPROPRIATE SLOPE $\geq 1/4:12$	SEAM TYPE Mechanical, Single or Double Lock	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY	Steel (Not UL Classified)	24 Gauge	60"	12"	373	Aluminum (Not UL Classified)	0.032"	36"	18"	None	Copper (Not UL Classified)	16 ounce	36"	14"	None	Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	13.7"	None
	TYPICAL PANEL WIDTHS 18", 14"	SEAM HEIGHT 2"																												
	APPROPRIATE SLOPE $\geq 1/4:12$	SEAM TYPE Mechanical, Single or Double Lock																												
	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY																									
	Steel (Not UL Classified)	24 Gauge	60"	12"	373																									
Aluminum (Not UL Classified)	0.032"	36"	18"	None																										
Copper (Not UL Classified)	16 ounce	36"	14"	None																										
Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	13.7"	None																										




PRODUCT LIST



PROFILE OUTLINE	PRODUCT																													
	<div style="background-color: #008080; color: white; padding: 5px;">US-210A</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 18", 14"</td> <td style="width: 50%;">SEAM HEIGHT 2"</td> </tr> <tr> <td>APPROPRIATE SLOPE $\geq 1/4:12$</td> <td>SEAM TYPE Mechanical, Single or Double Lock</td> </tr> <tr> <th>UL90 ASSEMBLY</th> <th>THICKNESS</th> <th>UL90 CLIP SPACING</th> <th>UL90 PANEL WIDTH</th> <th>UL90 ASSEMBLY</th> </tr> <tr> <td>Steel</td> <td>24 Guage</td> <td>60"</td> <td>16"</td> <td>90, 176, 180, 238, 238A</td> </tr> <tr> <td>Aluminum (Not UL Classified)</td> <td>0.032"</td> <td>36"</td> <td>18"</td> <td>None</td> </tr> <tr> <td>Copper (Not UL Classified)</td> <td>16 ounce</td> <td>36"</td> <td>14"</td> <td>None</td> </tr> <tr> <td>Zinc (Not UL Classified)</td> <td>0.7mm, 0.8mm</td> <td>24"</td> <td>13.7"</td> <td>None</td> </tr> </table>	TYPICAL PANEL WIDTHS 18", 14"	SEAM HEIGHT 2"	APPROPRIATE SLOPE $\geq 1/4:12$	SEAM TYPE Mechanical, Single or Double Lock	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY	Steel	24 Guage	60"	16"	90, 176, 180, 238, 238A	Aluminum (Not UL Classified)	0.032"	36"	18"	None	Copper (Not UL Classified)	16 ounce	36"	14"	None	Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	13.7"	None
TYPICAL PANEL WIDTHS 18", 14"	SEAM HEIGHT 2"																													
APPROPRIATE SLOPE $\geq 1/4:12$	SEAM TYPE Mechanical, Single or Double Lock																													
UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY																										
Steel	24 Guage	60"	16"	90, 176, 180, 238, 238A																										
Aluminum (Not UL Classified)	0.032"	36"	18"	None																										
Copper (Not UL Classified)	16 ounce	36"	14"	None																										
Zinc (Not UL Classified)	0.7mm, 0.8mm	24"	13.7"	None																										
	<div style="background-color: #8B4513; color: white; padding: 5px;">US-150LS</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 14.75"</td> <td style="width: 50%;">SEAM HEIGHT 1.5"</td> </tr> <tr> <td>APPROPRIATE SLOPE $\geq 4:12$</td> <td>SEAM TYPE Snap Seam</td> </tr> <tr> <th>UL90 ASSEMBLY</th> <th>THICKNESS</th> <th>UL90 CLIP SPACING</th> <th>UL90 PANEL WIDTH</th> <th>UL90 ASSEMBLY</th> </tr> <tr> <td>Steel</td> <td>24 Guage</td> <td>48"</td> <td>12"</td> <td>373</td> </tr> <tr> <td>Aluminum (Not UL Classified)</td> <td>0.032"</td> <td>36"</td> <td>14.875"</td> <td>None</td> </tr> <tr> <td>Copper (Not UL Classified)</td> <td>16 ounce</td> <td>36"</td> <td>14.875"</td> <td>None</td> </tr> </table>	TYPICAL PANEL WIDTHS 14.75"	SEAM HEIGHT 1.5"	APPROPRIATE SLOPE $\geq 4:12$	SEAM TYPE Snap Seam	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY	Steel	24 Guage	48"	12"	373	Aluminum (Not UL Classified)	0.032"	36"	14.875"	None	Copper (Not UL Classified)	16 ounce	36"	14.875"	None					
TYPICAL PANEL WIDTHS 14.75"	SEAM HEIGHT 1.5"																													
APPROPRIATE SLOPE $\geq 4:12$	SEAM TYPE Snap Seam																													
UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY																										
Steel	24 Guage	48"	12"	373																										
Aluminum (Not UL Classified)	0.032"	36"	14.875"	None																										
Copper (Not UL Classified)	16 ounce	36"	14.875"	None																										
	<div style="background-color: #808000; color: white; padding: 5px;">US-175LS</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 14.75"</td> <td style="width: 50%;">SEAM HEIGHT 1.75"</td> </tr> <tr> <td>APPROPRIATE SLOPE $\geq 4:12$</td> <td>SEAM TYPE Snap Seam</td> </tr> <tr> <th>UL90 ASSEMBLY</th> <th>THICKNESS</th> <th>UL90 CLIP SPACING</th> <th>UL90 PANEL WIDTH</th> <th>UL90 ASSEMBLY</th> </tr> <tr> <td>Steel</td> <td>22 & 24 Guage</td> <td>60" & 36" to 48"</td> <td>10" to 18"</td> <td>254, 255, 343, 414, 508A</td> </tr> <tr> <td>Aluminum</td> <td>0.032"</td> <td>36" to 48"</td> <td>10.5" to 16"</td> <td>261, 303, 508A</td> </tr> <tr> <td>Copper (Not UL Classified)</td> <td>16 ounce</td> <td>36"</td> <td>14.875"</td> <td>None</td> </tr> </table>	TYPICAL PANEL WIDTHS 14.75"	SEAM HEIGHT 1.75"	APPROPRIATE SLOPE $\geq 4:12$	SEAM TYPE Snap Seam	UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY	Steel	22 & 24 Guage	60" & 36" to 48"	10" to 18"	254, 255, 343, 414, 508A	Aluminum	0.032"	36" to 48"	10.5" to 16"	261, 303, 508A	Copper (Not UL Classified)	16 ounce	36"	14.875"	None					
TYPICAL PANEL WIDTHS 14.75"	SEAM HEIGHT 1.75"																													
APPROPRIATE SLOPE $\geq 4:12$	SEAM TYPE Snap Seam																													
UL90 ASSEMBLY	THICKNESS	UL90 CLIP SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY																										
Steel	22 & 24 Guage	60" & 36" to 48"	10" to 18"	254, 255, 343, 414, 508A																										
Aluminum	0.032"	36" to 48"	10.5" to 16"	261, 303, 508A																										
Copper (Not UL Classified)	16 ounce	36"	14.875"	None																										

PRODUCT LIST



PROFILE OUTLINE	PRODUCT																													
	<div style="background-color: #8B4513; color: white; padding: 5px;">US-FF100</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 14.75"</td> <td style="width: 50%;">SEAM HEIGHT 1"</td> </tr> <tr> <td>APPROPRIATE SLOPE $\geq 4:12$</td> <td>SEAM TYPE Snap Seam</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>UL90 ASSEMBLY</th> <th>THICKNESS</th> <th>UL90 FASTENER SPACING</th> <th>UL90 PANEL WIDTH</th> <th>UL90 ASSEMBLY</th> </tr> </thead> <tbody> <tr> <td>Steel</td> <td>24 Gauge</td> <td>12"</td> <td>24"</td> <td>529</td> </tr> <tr> <td>Aluminum (Not UL Classified)</td> <td>0.032"</td> <td>12"</td> <td>20"</td> <td>None</td> </tr> <tr> <td>Copper (Not UL Classified)</td> <td>16 ounce</td> <td>12"</td> <td>20"</td> <td>None</td> </tr> <tr> <td>Zinc (Not UL Classified)</td> <td>0.7mm, 0.8mm</td> <td>12"</td> <td>15.7"</td> <td>None</td> </tr> </tbody> </table>	TYPICAL PANEL WIDTHS 14.75"	SEAM HEIGHT 1"	APPROPRIATE SLOPE $\geq 4:12$	SEAM TYPE Snap Seam	UL90 ASSEMBLY	THICKNESS	UL90 FASTENER SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY	Steel	24 Gauge	12"	24"	529	Aluminum (Not UL Classified)	0.032"	12"	20"	None	Copper (Not UL Classified)	16 ounce	12"	20"	None	Zinc (Not UL Classified)	0.7mm, 0.8mm	12"	15.7"	None
TYPICAL PANEL WIDTHS 14.75"	SEAM HEIGHT 1"																													
APPROPRIATE SLOPE $\geq 4:12$	SEAM TYPE Snap Seam																													
UL90 ASSEMBLY	THICKNESS	UL90 FASTENER SPACING	UL90 PANEL WIDTH	UL90 ASSEMBLY																										
Steel	24 Gauge	12"	24"	529																										
Aluminum (Not UL Classified)	0.032"	12"	20"	None																										
Copper (Not UL Classified)	16 ounce	12"	20"	None																										
Zinc (Not UL Classified)	0.7mm, 0.8mm	12"	15.7"	None																										
	<div style="background-color: #A08060; color: white; padding: 5px;">US-100FP</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">TYPICAL PANEL WIDTHS 12", 16"</td> <td style="width: 50%;">PANEL DEPTH 1"</td> </tr> <tr> <td>APPLICATIONS SOFFIT & WALL</td> <td>SEAM TYPE Interlocking</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>SUGGESTED ASSEMBLY</th> <th>THICKNESS</th> <th>FASTENER SPACING</th> <th>PANEL WIDTH</th> </tr> </thead> <tbody> <tr> <td>Steel</td> <td>24 Gauge</td> <td>12"</td> <td>16"</td> </tr> <tr> <td>Aluminum</td> <td>0.032", 0.040"</td> <td>12"</td> <td>18"</td> </tr> <tr> <td>Copper</td> <td>16 & 20 ounce</td> <td>12"</td> <td>14"</td> </tr> <tr> <td>Zinc</td> <td>0.7mm, 0.8mm</td> <td>12"</td> <td>13.7"</td> </tr> </tbody> </table>	TYPICAL PANEL WIDTHS 12", 16"	PANEL DEPTH 1"	APPLICATIONS SOFFIT & WALL	SEAM TYPE Interlocking	SUGGESTED ASSEMBLY	THICKNESS	FASTENER SPACING	PANEL WIDTH	Steel	24 Gauge	12"	16"	Aluminum	0.032", 0.040"	12"	18"	Copper	16 & 20 ounce	12"	14"	Zinc	0.7mm, 0.8mm	12"	13.7"					
TYPICAL PANEL WIDTHS 12", 16"	PANEL DEPTH 1"																													
APPLICATIONS SOFFIT & WALL	SEAM TYPE Interlocking																													
SUGGESTED ASSEMBLY	THICKNESS	FASTENER SPACING	PANEL WIDTH																											
Steel	24 Gauge	12"	16"																											
Aluminum	0.032", 0.040"	12"	18"																											
Copper	16 & 20 ounce	12"	14"																											
Zinc	0.7mm, 0.8mm	12"	13.7"																											
	<div style="background-color: #333; color: white; padding: 5px;">US-FLAT LOCK</div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="3">NO UL OR ASTM TESTING</th> <th>METAL</th> <th>GAUGE</th> </tr> <tr> <th>Panel Coverage</th> <th>Suggested Typical</th> <th>Suggested Maximum</th> <td>Steel</td> <td>22, 24</td> </tr> </thead> <tbody> <tr> <td>Square</td> <td>9" x 9"</td> <td>15.2" x 15.2"</td> <td>Aluminum</td> <td>0.032", 0.040"</td> </tr> <tr> <td>Diamond (H x W)</td> <td>12" x 10"</td> <td>24" x 20"</td> <td>Copper</td> <td>16 & 20 ounce</td> </tr> <tr> <td>Rectangle (H x W)</td> <td>15.2" x 36"</td> <td>15.2" x 118.5"</td> <td>Zinc</td> <td>0.8mm, 1.0mm</td> </tr> </tbody> </table>	NO UL OR ASTM TESTING			METAL	GAUGE	Panel Coverage	Suggested Typical	Suggested Maximum	Steel	22, 24	Square	9" x 9"	15.2" x 15.2"	Aluminum	0.032", 0.040"	Diamond (H x W)	12" x 10"	24" x 20"	Copper	16 & 20 ounce	Rectangle (H x W)	15.2" x 36"	15.2" x 118.5"	Zinc	0.8mm, 1.0mm				
NO UL OR ASTM TESTING			METAL	GAUGE																										
Panel Coverage	Suggested Typical	Suggested Maximum	Steel	22, 24																										
Square	9" x 9"	15.2" x 15.2"	Aluminum	0.032", 0.040"																										
Diamond (H x W)	12" x 10"	24" x 20"	Copper	16 & 20 ounce																										
Rectangle (H x W)	15.2" x 36"	15.2" x 118.5"	Zinc	0.8mm, 1.0mm																										